



Self Contained Breathing Apparatus Specialists, Inc.

403 PEORIA ST. WASHINGTON, IL 61571
Phone 800/747-7442 or 309/444-7442
Fax 309/444-3180
e-mail scbas@omnilec.com

CALL TOLL FREE
800/747-7442
OR E-MAIL ORDERS TO
sales@scbas.com
OR FAX ORDERS TO
309/444-3180

SUGGESTED LIST PRICE

EFFECTIVE MARCH 1, 2018

TERMS AND CONDITIONS OF SALE

SCBAS, Inc. reserves the right to accept or reject any order at our plant. Terms of sales are C.O.D. until a credit application is completed, returned to SCBAS, Inc. and approved by SCBAS, Inc. credit department. After approval, terms will be Net 30 days, F.O.B. shipping point. A 1.8% finance charge will be added to any invoice over 30 days old and not yet paid. This is an annual percentage rate of 21.6% per year. If SCBAS, Inc. is owed any monies whatsoever on any invoices that are over 45 days past the invoice date, any new orders will be held until all monies owed are paid in full. If paid promptly, you will remain on open account. If your account goes to 60 days past invoice date, your account will be placed on C.O.D. and you will have to submit a new credit application to regain open account status. **All service charges are due and payable on all past due invoices.**

MINIMUM ORDERS

Minimum order is \$25.00. A handling charge of \$5.00 will be assessed to all orders under \$25.00 if processed.

SHORTAGES, DAMAGED SHIPMENTS

Claims for shortages on sealed cartons must be filed within 5 days after receipt of shipment. Failure to make such claim within 5 days after receipt of shipment shall constitute waiver of such claim and an acceptance of the goods by the buyer. Claims for merchandise damaged **MUST BE FILED WITH THE CARRIER IMMEDIATELY** after receipt of merchandise.

PRICES


These prices are applicable to all orders placed and accepted as of February 1, 2016 and are subject to change without notice.

RETURN POLICY

Merchandise may only be returned to SCBAS, Inc. after receiving written permission. Authorized returns of saleable merchandise, other than shipments made in error, will be subject to a 15% restocking charge. SCBAS, Inc. will not accept freight collect shipments.


CASCADE SYSTEMS (PIGTAILED)

4500 PSI AND 6000 PSI



SSS-345-STD

NOTE: ON THE MODELS THAT COME WITH A RACK, WE WILL SUPPLY A VERTICAL RACK AS STANDARD. THE 2, 3, 4 AND 5 CYLINDER SYSTEMS HAVE A STRAIGHT RACK. THE 6 AND 8 CYLINDER SYSTEMS HAVE A BACK TO BACK RACK. **IF YOU WANT A HORIZONTAL RACK INSTEAD OF A VERTICAL RACK, YOU MUST SPECIFY SO ON YOUR ORDER.** SEE PAGE 10 FOR PRICE DIFFERENCES.



SSS-345-RFH

4500 PSI SYSTEMS

DESCRIPTION		CYLINDERS, TEES, PIGTAILS, CAP & CHAIN, RACK	SAME AS "STD" EXCEPT WITHOUT RACK	SAME AS "STD" PLUS HPR-1 REGULATOR AND FH-347 FILL HOSE	SAME AS "RFH" EXCEPT WITHOUT RACK	IF YOU WANT CYLINDERS FILLED WITH CGA GRADE "E", NFPA 1500 AIR WHEN SHIPPED, PLEASE ADD:	IF MOUNTING IN APPARATUS, LABEL CYLINDER PER NFPA 1901 STANDARD, PLEASE ADD:
	MODEL	STD	WOR	RFH	WOR/RFH	OPTION	OPTION
2 CYLINDER SYSTEM	SSS-245-XXX	2350.00	1710.00	3020.00	2370.00	40.00	15.00
3 CYLINDER SYSTEM	SSS-345-XXX	3160.00	2490.00	3450.00	2780.00	60.00	22.50
4 CYLINDER SYSTEM	SSS-445-XXX	3970.00	3260.00	4270.00	3550.00	80.00	30.00
5 CYLINDER SYSTEM	SSS-545-XXX	4780.00	4050.00	5070.00	4340.00	100.00	37.50
6 CYLINDER SYSTEM	SSS-645-XXX	5630.00	4820.00	5930.00	5110.00	120.00	45.00
8 CYLINDER SYSTEM	SSS-845-XXX	7250.00	6380.00	7550.00	6670.00	160.00	60.00

6000 PSI SYSTEMS


DESCRIPTION		CYLINDERS, TEES, PIGTAILS, CAP, RACK	SAME AS "STD" EXCEPT WITHOUT RACK	SAME AS "STD" PLUS HPR-2 REGULATOR, AND FH-347 FILL HOSE	SAME AS "RFH" EXCEPT WITHOUT RACK	IF YOU WANT CYLINDERS FILLED WITH CGA GRADE "E", NFPA 1500 AIR WHEN SHIPPED, PLEASE ADD:	IF MOUNTING IN APPARATUS, LABEL CYLINDER PER NFPA 1901 STANDARD, PLEASE ADD:
	MODEL	STD	WOR	RFH	WOR/RFH	OPTION	OPTION
2 CYLINDER SYSTEM	SSS-260-XXX	3920.00	3280.00	4610.00	3960.00	40.00	15.00
3 CYLINDER SYSTEM	SSS-360-XXX	5550.00	4880.00	6240.00	5570.00	60.00	22.50
4 CYLINDER SYSTEM	SSS-460-XXX	7190.00	6480.00	7880.00	7160.00	80.00	30.00
5 CYLINDER SYSTEM	SSS-560-XXX	8810.00	8080.00	9500.00	8770.00	100.00	37.50
6 CYLINDER SYSTEM	SSS-660-XXX	10490.00	9680.00	11180.00	10370.00	120.00	45.00
8 CYLINDER SYSTEM	SSS-860-XXX	13760.00	12880.00	14450.00	13570.00	160.00	60.00

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

CASCADE SYSTEMS (INDIVIDUALLY PIPED)


USED WITH FILL PANELS OR MANIFOLDS

4500 PSI AND 6000 PSI



SSS-260-B

NOTE: ON THE MODELS THAT COME WITH A RACK, WE WILL SUPPLY A VERTICAL RACK AS STANDARD. THE 2, 3, 4 AND 5 CYLINDER SYSTEMS HAVE A STRAIGHT RACK. THE 6 AND 8 CYLINDER SYSTEMS HAVE A BACK TO BACK RACK. **IF YOU WANT A HORIZONTAL RACK INSTEAD OF A VERTICAL RACK, YOU MUST SPECIFY SO ON YOUR ORDER.** SEE PAGE 10 FOR PRICE DIFFERENCES.



SSS-260-B-MAN

4500 PSI SYSTEMS

DESCRIPTION		CYLINDERS, CGA-347 NUTS & NIPPLES, #4 JIC MALE ELBOWS AND RACK	SAME AS "B" EXCEPT WITHOUT RACK	SAME AS "B" PLUS APPROPRIATE BANK MANIFOLD (HPM-X), HPR-1 REG., 10' HOSE FOR EACH CYL. AND FH-347 FILL HOSE	SAME AS "B-MAN" EXCEPT WITHOUT RACK	IF YOU WANT CYLINDERS FILLED WITH CGA GRADE "E", NFPA 1500 AIR WHEN SHIPPED, PLEASE ADD:	IF MOUNTING IN APPARATUS, LABEL CYLINDER PER NFPA 1901 STANDARD, PLEASE ADD:
	MODEL	B	B-WOR	B-MAN	B-WOR/MAN	OPTION	OPTION
2 CYLINDER SYSTEM	SSS-245-XXX	2240.00	1600.00	3520.00	2880.00	40.00	15.00
3 CYLINDER SYSTEM	SSS-345-XXX	3020.00	2300.00	4500.00	3830.00	60.00	22.50
4 CYLINDER SYSTEM	SSS-445-XXX	3810.00	3040.00	5490.00	4780.00	80.00	30.00
5 CYLINDER SYSTEM	SSS-545-XXX	4590.00	3780.00	6470.00	5740.00	100.00	37.50
6 CYLINDER SYSTEM	SSS-645-XXX	5410.00	4510.00	7500.00	6690.00	120.00	45.00
8 CYLINDER SYSTEM	SSS-845-XXX	6980.00	5990.00	9490.00	8590.00	160.00	60.00

6000 PSI SYSTEMS

DESCRIPTION		CYLINDERS, CGA-702 NUTS & NIPPLES, #4 JIC MALE ELBOWS AND RACK	SAME AS "B" EXCEPT WITHOUT RACK	SAME AS "B" PLUS APPROPRIATE BANK MANIFOLD (HPM-X), HPR-2 REGULATOR, 10' HOSE FOR EACH CYL. AND FH-347 FILL HOSE	SAME AS "B-MAN" EXCEPT WITHOUT RACK	IF YOU WANT CYLINDERS FILLED WITH CGA GRADE "E", NFPA 1500 AIR WHEN SHIPPED, PLEASE ADD:	IF MOUNTING IN APPARATUS, LABEL CYLINDER PER NFPA 1901 STANDARD, PLEASE ADD:
	MODEL	B	B-WOR	B-MAN	B-WOR/MAN	OPTION	OPTION
2 CYLINDER SYSTEM	SSS-260-XXX	3880.00	3210.00	5200.00	4550.00	40.00	15.00
3 CYLINDER SYSTEM	SSS-360-XXX	5480.00	4770.00	7000.00	6330.00	60.00	22.50
4 CYLINDER SYSTEM	SSS-460-XXX	7100.00	6330.00	8810.00	8110.00	80.00	30.00
5 CYLINDER SYSTEM	SSS-560-XXX	8700.00	7890.00	10620.00	9890.00	100.00	37.50
6 CYLINDER SYSTEM	SSS-660-XXX	10350.00	9450.00	12460.00	11660.00	120.00	45.00
8 CYLINDER SYSTEM	SSS-860-XXX	13560.00	12570.00	16110.00	15210.00	160.00	60.00

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

BREATHING AIR CASCADE SKID UNIT

CASCADE CONTROL PANEL


Includes the following standard features:

- 3/16" aluminum panel and panel enclosure
- Soft seat control valves for each bank
- Pressure reducing regulator, 0-6000 psi inlet, 0-5000 psi outlet
- Master inlet gauge on regulator
- Regulated pressure gauge, pieced at 2216 psi and 4500 psi
- System refill port with valve
- CGA-347 male outlet, with valve
- All valves, fittings and tube rated for 6000 psi working pressure, minimum
- All gauges liquid filled, 2½" diameter, 0-7500 psi
- All valves can be rebuilt from the front of the panel without disturbing any plumbing
- Powder Painted, matte black, textured



SKID CYLINDER RACK AND FRAME

- Heavy duty construction
- Made of 3" and 4" steel channel
- Fully welded at all joints
- Four lifting eyes or can be forklifted
- 2, 3, 4, 6, or 9 cylinder systems
- Powder painted, matte black, textured
- Just set in place and bolt down



CONFIGURATIONS

- 4500 or 6000 PSI (5000 psi also available)
- Control panel is available with most of our Control Panel options
- 2 and 3 cylinder systems are 1 flat row
- 4 and 6 cylinder systems are 2 rows high
- 9 cylinder system is 3 rows high

DIMENSIONS

- 2 Cyl. 71L x 17H x 25W
- 3 Cyl. 71L x 17H x 37W
- 4 Cyl. 71L x 29H x 25W
- 6 Cyl. 71L x 29H x 37W
- 9 Cyl. 71L x 41H x 37W

Part#	Description	Price
SSS-245-SKD	2 cylinder, 4500 psi	\$6,950.00
SSS-345-SKD	3 cylinder, 4500 psi	\$8,175.00
SSS-445-SKD	4 cylinder, 4500 psi	\$9,325.00
SSS-645-SKD	6 cylinder, 4500 psi	\$11,825.00
SSS-945-SKD	9 cylinder, 4500 psi	\$15,775.00
SSS-260-SKD	2 cylinder, 6000 psi	\$8,600.00
SSS-360-SKD	3 cylinder, 6000 psi	\$10,650.00
SSS-460-SKD	4 cylinder, 6000 psi	\$12,625.00
SSS-660-SKD	6 cylinder, 6000 psi	\$16,775.00
SSS-960-SKD	9 cylinder, 6000 psi	\$23,200.00

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

AIR CONTROL PANELS


STANDARD PANELS

Our standard control panel includes the following features:

- 1/4" Aluminum panel
- NFPA 1901 color coded, non-glare overlay with flow schematic
- 7500 PSI, 2½" liquid filled gauge for each storage bank and the supply pressure side of the regulator
- Pressure reducing regulator, adjustable between 0-6000 PSI on the outlet side, push-to-adjust
- 7500 PSI, 2½" liquid filled gauge on regulated side (outlet) of regulator with colored "pies" at 2216 and 4500 PSI
- Soft seat valve for each storage bank, the system refill port and the system outlet
- System refill port on panel
- One outlet for regulated pressure
- Note: An enclosure is not included as standard, but may be ordered as an option
- FP-1 is 12"H X 12"W
- FP-2 thru FP-5 are 12"H x 24"W
- FP-6 thru FP-8 are 18"H x 24"W



FP-1




FP-4

CUSTOM PANELS

We specialize in manufacturing custom built panels to meet your needs.

- Any number of banks
- Multiple regulators
- Any size
- Any configuration
- You supply us with dimensions and layout
- All custom panels priced per application



FP-4-CUSTOM

STANDARD PANEL PRICES

FP-1	1 Bank control panel	\$2,050.00
FP-2	2 Bank control panel	\$2,600.00
FP-3	3 Bank control panel	\$2,775.00
FP-4	4 Bank control panel	\$2,975.00
FP-5	5 Bank control panel	\$3,225.00
FP-6	6 Bank control panel	\$3,450.00
FP-8	8 Bank control panel	\$3,925.00

OPTIONS FOR STANDARD PANELS

- Extra regulator, 0-6000 PSI outlet w/regulated pressure gauge and 1 outlet **\$925.00**
- Extra regulator, 0-400 PSI outlet, Hi-Flow, w/regulated pressure gauge and 1 outlet (For air tools or SAR) **\$1,150.00**
- SCBA fill pressure gauge on our standard outlet **\$200.00**
- Extra outlet w/o gauge **\$375.00**
- Extra outlet w/gauge **\$450.00**
- Custom size other than our standard **\$100.00**
- Aluminum enclosures, powder painted black
 - FP-1 (12" x 12") **\$500.00**
 - FP-2 thru FP-5 (12" x 24") **\$590.00**
 - FP-6 thru FP-8 (18" x 24") **\$720.00**

Other sizes priced per application

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

REGULATORS

HIGH PRESSURE REGULATORS

(For filling SCBA and/or SCUBA cylinders)

HPR-1 0-6000 PSI inlet, 0-5500 psi outlet, CGA-347 nut & nipple on the inlet side, CGA-347 male thread on the outlet side, 0-6000 psi gauges on both inlet and outlet of regulator.

For use on any system up to 5500 psi.

\$435.00

HPR-2 0-6000 psi inlet, 0-6000 psi outlet, #4 JIC male inlet, CGA-347 male outlet, 0-7500 psi inlet gauge, 0-6000 psi outlet gauge.

For use on 6000 psi systems

\$435.00



HPR-1



HPR-1-400



LPR-2-H

LOW PRESSURE REGULATORS

(Low pressure outlets for use with supplied air systems, air chisels, air bag systems, etc.)

HPR-1-400 0-6000 psi inlet, 0-400 psi outlet, CGA-347 hand nut & nipple on inlet, 1/4" FNPT outlet, 6000 psi inlet gauge, 600 psi outlet gauge. For use w/2216 or 4500 psi cylinders.

\$420.00

NOTE: The HPR series above are self relieving style regulators.

LPR-1-(x) 0-3000 psi inlet, 10-125 psi outlet, CGA-346 hand nut & nipple on inlet, Schrader or Hansen female quick connect on outlet. (Please specify) 4000 psi inlet gauge, 200 psi outlet gauge. (x) denotes (H)ansen or (S)chrader

\$290.00

LPR-2-(x) Same as above except 0-5500 psi inlet, inlet gauge is 6000 psi and hand nut & nipple are CGA-347. (x) denotes (H)ansen or (S)chrader

\$305.00

LPR-1 Same as LPR-1-(x) except no coupling on outlet of regulator. Has 1/4" female NPT outlet.

\$250.00

LPR-2 Same as LPR-2-(x) except no coupling on outlet of regulator. Has 1/4" female NPT outlet.

\$265.00

NOTE: The LPR series regulators are not self relieving style regulators.

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

FILL HOSES, CUSTOM HOSES, PIGTAILS

FILL HOSES

FH-347 Deluxe fill hose. 6' long, with shut-off valve, 6000 psi gauge w/rubber boot, bleeder valve and hand tight nut and nipple that will fill either 2216 psi or 4500 psi SCBA cylinders. Inlet end has CGA-347 nut and nipple.

For use on systems over 3000 psi.

\$285.00


FH-347-835 Same as FH-347 except this has a hand tight nut & nipple on both ends for easy connect/disconnect from air source.

\$300.00

FH-346 Same as FH-347 except 4000 psi gauge and CGA-346 hand tight nut & nipple that will fill only 2216 psi SCBA cylinders. Inlet end has CGA-346 nut and nipple.

For use on systems under 3000 psi.

\$245.00



FH-347

OPTION: If any fill hose needs to be longer than the standard 6' length please add to the above prices:

96-001 Hose, 6000 psi, per foot **\$8.00**



96-001 96-003 96-004

1/4-GG-S

NOTE: You must specify the length of hose needed and which 2 couplings are needed on the hose. You can mix and match the couplings as needed.

CUSTOM HIGH PRESSURE HOSE

Keep your installations neat with hoses made to the length that you need. We can make your hoses to your specifications. This hose is a thermoplastic hose. With a working pressure rating of 6000 psi, this hose can be used with virtually any breathing air system. You have two choices in couplings that you can get on your hose;
1/4" male NPT swivel or #4 JIC (37° flare) female swivel.

PART#	DESCRIPTION	
96-001	Hose, 6000 psi, per foot	\$8.00
96-003	Coupling, 1/4" male NPT, swivel	\$9.50
96-004	Coupling, #4 JIC female, swivel	\$7.50
1/4-GG-S	Fitting, 1/4" FNPT x 1/4" FNPT	\$3.50
	Add this to the 96-003 coupling if you need FNPT	

FLEXIBLE PIGTAILS

PT24-346 24" pigtail with CGA-346 nut and nipple on both ends.

For use on systems under 3000 psi.

\$75.00

PT24-347 24" pigtail with CGA-347 nut and nipple on both ends.

Can be used on any system up to 5500 psi

\$120.00

PT24-6000 24" pigtail with #4 JIC female swivel connections on both ends.

Can be used on any system up to 6000 psi.

\$33.00



PT24-6000

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

PIGTAIL (MANIFOLD) SYSTEMS

CGA-346 SYSTEMS (UP TO 3000 PSI)

PART#	DESCRIPTION	PRICE
PTS-2346	2 Cylinder system	\$115.00
PTS-3346	3 Cylinder system	\$175.00
PTS-4346	4 Cylinder system	\$230.00
PTS-5346	5 Cylinder system	\$285.00
PTS-6346	6 Cylinder system	\$340.00
PTS-8346	8 Cylinder system	\$455.00
PTS-10346	10 Cylinder system	\$565.00



PTS-2346



PTS-3347

CGA-347 SYSTEMS (3001 - 5500 PSI)

PART#	DESCRIPTION	PRICE
PTS-2347	2 Cylinder system	\$210.00
PTS-3347	3 Cylinder system	\$290.00
PTS-4347	4 Cylinder system	\$370.00
PTS-5347	5 Cylinder system	\$445.00
PTS-6347	6 Cylinder system	\$525.00
PTS-8347	8 Cylinder system	\$685.00
PTS-10347	10 Cylinder system	\$840.00

CGA-702 SYSTEMS (OVER 5500 PSI)

PART#	DESCRIPTION	PRICE
PTS-2702	2 Cylinder system	\$145.00
PTS-3702	3 Cylinder system	\$225.00
PTS-4702	4 Cylinder system	\$310.00
PTS-5702	5 Cylinder system	\$395.00
PTS-6702	6 Cylinder system	\$480.00
PTS-8702	8 Cylinder system	\$650.00
PTS-10702	10 Cylinder system	\$820.00



PTS-4702

2 Cylinder system includes:

2 Each tees

1 Each 24" flexible pigtail

Appropriate CGA male adapter w/cap and chain

on CGA-346/347 systems or a #4 JIC male

w/cap on CGA-702 refill/compressor end

1/4" FNPT on outlet end

For each additional cylinder, we add a CGA tee and 24" pigtail

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

ACCESSORIES FOR CASCADE SYSTEMS


MANIFOLDS FOR APPARATUS OR WALL MOUNTING

HPM-2	2 Bank Manifold	\$ 390.00
HPM-3	3 Bank Manifold	\$ 500.00
HPM-4	4 Bank Manifold	\$ 610.00
HPM-5	5 Bank Manifold	\$ 720.00
HPM-6	6 Bank Manifold	\$ 830.00
HPM-8	8 Bank Manifold	\$1050.00


****Please specify cascade system pressure when ordering manifold.**

All of the above manifolds include the following: A 6000 PSI valve for each cylinder bank with #4 JIC male (37° flare) hose connection, a shut-off valve and dust cap with the appropriate connection (CGA-347 for 4500 psi systems and quick disconnect for 6000 psi systems) for the pressure being used on the system refill, and 1/4" FNPT on the outlet.

NOTE: A HPR-1 or HPR-2 regulator assembly is highly recommended for use with the high pressure manifolds listed above.



SUPPLIED AIR SYSTEMS



IF SUPPLY CYLINDERS ARE LESS THAN 3000 PSI (CGA-346)

LPR-1-H	Regulator, Hansen	\$290.00
LPR-1-S	Regulator, Schrader	\$290.00
AL-346	Lo-Pressure alarm	\$455.00
T-346	CGA-346 Tee	\$47.00
PT24-346	24" Flexible pigtail	\$75.00

ALL BELOW MANIFOLDS AND FITTINGS ARE 300 PSI MAXIMUM

MAN-2-(H)(S)	Manifold, 2 outlet	\$140.00
MAN-3-(H)(S)	Manifold, 3 outlet	\$170.00
MAN-4-(H)(S)	Manifold, 4 outlet	\$190.00
MAN-5-(H)(S)	Manifold, 5 outlet	\$220.00

IF SUPPLY CYLINDERS ARE UP TO 5500 PSI (CGA-347)

LPR-2-H	Regulator, Hansen	\$305.00
LPR-2-S	Regulator, Schrader	\$305.00
AL-347	Lo-Pressure alarm	\$470.00
T-347	CGA-347 Tee	\$60.00
PT24-347	24" Flexible pigtail	\$120.00

QUICK CONNECT COUPLINGS

HAN-C	Coupling, Hansen	\$37.00
HAN-P	Plug, Hansen	\$4.00
HAN-KIT	Coupling & plug, Hansen	\$41.00
SCH-C	Coupling, Schrader	\$26.00
SCH-P	Plug, Schrader	\$4.00
SCH-KIT	Coupling & plug, Schrader	\$29.00

***ALL HAN & SCH FITTINGS ARE 1/4" MALE NPT**

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

INDIVIDUAL CYLINDERS, ISO/UN

ISO/UN STORAGE CYLINDERS

MODEL	MARKED SERVICE PRESSURE	VALVE CONNECTION	CU. FT. EACH	WEIGHT EMPTY	PRICE EACH
HC-4500	4500 PSI	CGA-347	437	155#	\$695.00
HC-6000	6000 PSI	CGA-702	510	195#	\$1,515.00

All cylinders are shipped **EMPTY** unless specified on your order. All cylinders are painted yellow. The appropriate valve and cap are included. The following options are available:

Options:

Ship cylinder full of CGA Grade "E", NFPA 1500 standard air, add: **\$20.00 per cylinder**

NOTE: Cylinders drop shipped from the manufacturer **cannot be shipped full.**

Label cylinder per NFPA 1901 standards (apparatus mounting only), add: **\$7.50 per cylinder**

MODEL	MARKED SERVICE PRESSURE	VALVE CONNECTION	CU. FT. EACH	WEIGHT EMPTY	PRICE EACH
30020 (DOT)	2400 PSI	CGA-346	282	139#	\$445.00
8HP535C	5000 PSI	CGA-347	472	170#	\$1,080.00

2400 and 5000 psi cylinders are drop shipped from the manufacturer only, in any quantity. SCBAS does not stock these cylinders. They are available **EMPTY ONLY**. Allow 12-14 weeks for delivery. No returns accepted on these two cylinders.


ISO/UN/D.O.T. STORAGE CYLINDER RACKS

SELF STANDING VERTICAL RACKS STRAIGHT CONFIGURATION



SCR-2DV	2 Cylinder rack	\$610.00
SCR-3DV	3 Cylinder rack	\$635.00
SCR-4DV	4 Cylinder rack	\$670.00
SCR-5DV	5 Cylinder rack	\$690.00
SCR-6DV	6 Cylinder rack	\$710.00


BACK TO BACK CONFIGURATION



SCR-4DV-BB	4 Cylinder rack	\$725.00
SCR-6DV-BB	6 Cylinder rack	\$770.00
SCR-8DV-BB	8 Cylinder rack	\$825.00


HORIZONTAL, FLAT CONFIGURATION

SCR-2DH	2 Cylinder	\$500.00
SCR-3DH	3 Cylinder	\$535.00
SCR-4DH	4 Cylinder	\$580.00



HORIZONTAL, STACKED CONFIGURATION

SCR-2DH-ST	2 Cylinder	\$500.00
SCR-4DH-ST	4 Cylinder	\$580.00
SCR-6DH-ST	6 Cylinder	\$645.00
SCR-8DH-ST	8 Cylinder	\$725.00



ISO/UN/D.O.T. RACK & CYLINDER DIMENSIONS

SCR-2DV	28W x 13½D x 49½H*
SCR-3DV	40W x 13½D x 49½H*
SCR-4DV	52½W x 13½D x 49½H*
SCR-5DV	65W x 13½D x 49½H*
SCR-6DV	77½W x 13½D x 49½H*

SCR-4DV-BB	32½W x 25½D x 49½H*
SCR-6DV-BB	44W x 25½D x 49½H*
SCR-8DV-BB	56½W x 25½D x 49½H*

*Height with 3600, 4500, 5000 or 6000 psi cylinder mounted is 60½", with 2400 psi mounted = 64½"

SCR-2DH	30W x 18½H x Cylinder height
SCR-3DH	42½W x 18½H x Cylinder height
SCR-4DH	55W x 18½H x Cylinder height

SCR-2DH-ST	15W x 32H x Cylinder height
SCR-4DH-ST	30W x 32H x Cylinder height
SCR-6DH-ST	42½W x 32H x Cylinder height
SCR-8DH-ST	55W x 32H x Cylinder height

CYLINDER DIMENSIONS:

3600, 4500, 5000 & 6000 psi = 9⁵/₁₆ OD x 56½ H (w/valve & cap)
2400 psi = 9¼ OD x 60½ H (w/valve & cap)

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

INDIVIDUAL CYLINDERS, A.S.M.E.

A.S.M.E. CYLINDERS **All ASME cylinders come completely assembled and leak tested INDIVIDUALLY PLUMBED CYLINDERS

MODEL	MARKED SERVICE PRESSURE	VALVE CONNECTION	CU. FT. EACH	WEIGHT EMPTY	PRICE EACH
-------	-------------------------	------------------	--------------	--------------	------------

The below two cylinders are used when you are connecting the cylinders to a control panel, via a hose for each cylinder, with individual control valves for each cylinder on the control panel.

ASME-B-H (Horizontal)	6000 PSI	#4 JIC MALE	525	400#	\$4,110.00
ASME-B-V (Vertical)	6000 PSI	#4 JIC MALE	525	400#	\$4,110.00

ABOVE CYLINDERS INCLUDE:

ASME-B-H Cylinder, ASME relief valve, drain valve, shut-off valve, 7500 psi liquid filled gauge, #4 JIC male hose connection. This cylinder is configured for **horizontal mounting**.

ASME-B-V Same as above. This cylinder is configured for **vertical mounting**.

PIGTAILED CYLINDERS

The below three cylinders are used when you are pigtailing all of the cylinders together in one bank (Specify vertical or horizontal mounting)

ASME-PT-1(X)	6000 PSI	#4 JIC MALE	525	400#	\$4,110.00
ASME-PT-2345(X)	6000 PSI	#4 JIC MALE	525	400#	\$3,400.00
ASME-PT-L(X)	6000 PSI	#4 JIC MALE	525	400#	\$3,400.00

(X) denotes (V)ertical or (H)orizontal. This must be specified.

ABOVE CYLINDERS INCLUDE:

ASME-PT-1 This is the **first** cylinder in the system. This includes: Cylinder, 7500 psi liquid filled gauge, drain valve, shut-off valve, **ASME relief valve** and #4 JIC male tee

ASME-PT-2345 This is **any** cylinder in the system that is **NOT the first or last** cylinder. This includes: Cylinder, drain valve, #4 JIC Male tee and 24" flexible pigtail.

ASME-PT-L This is the **last** cylinder in the system. This includes: cylinder, drain valve, 24" flexible pigtail, #4 JIC Male inlet x 1/4" FNPT outlet

A.S.M.E. STORAGE CYLINDER RACKS

SELF STANDING VERTICAL A.S.M.E. RACKS STRAIGHT CONFIGURATION



SCR-2AV	2 Cylinder rack	\$780.00
SCR-3AV	3 Cylinder rack	\$825.00
SCR-4AV	4 Cylinder rack	\$880.00
SCR-5AV	5 Cylinder rack	\$925.00
SCR-6AV	6 Cylinder rack	\$970.00

BACK TO BACK CONFIGURATION



SCR-4AV-BB	4 Cylinder rack	\$900.00
SCR-6AV-BB	6 Cylinder rack	\$970.00
SCR-8AV-BB	8 Cylinder rack	\$1,065.00


HORIZONTAL A.S.M.E. RACKS, FLAT CONFIGURATION

SCR-2AH	2 Cylinder	\$500.00
SCR-3AH	3 Cylinder	\$535.00
SCR-4AH	4 Cylinder	\$580.00



STACKED CONFIGURATION

SCR-2AH-ST	2 Cylinder	\$500.00
SCR-4AH-ST	4 Cylinder	\$570.00
SCR-6AH-ST	6 Cylinder	\$645.00
SCR-8AH-ST	8 Cylinder	\$710.00



A.S.M.E. RACK & CYLINDER DIMENSIONS

SCR-2AV	28W x 16D x 49½H*
SCR-3AV	40W x 16D x 49½H*
SCR-4AV	52½W x 16D x 49½H*
SCR-5AV	65W x 16D x 49½H*
SCR-6AV	77½W x 16D x 49½H*

SCR-4AV-BB	32½W x 30½D x 49½H*
SCR-6AV-BB	44W x 30½D x 49½H*
SCR-8AV-BB	56½W x 30½D x 49½H*

*Height with A.S.M.E. cylinder mounted is 60 ½"

SCR-2AH	30W x 18½H x Cylinder height
SCR-3AH	42½W x 18½H x Cylinder height
SCR-4AH	55W x 18½H x Cylinder height

SCR-2AH-ST	15W x 32H x Cylinder height
SCR-4AH-ST	30W x 32H x Cylinder height
SCR-6AH-ST	42½W x 32H x Cylinder height
SCR-8AH-ST	55W x 32H x Cylinder height

A.S.M.E. cylinder dimensions = 58-60"L x 9½" OD with fittings

MORE RACK SYSTEMS

UNI-STRUT

PART#	DESCRIPTION	PRICE
G-5812-SL	Channel, per foot	\$6.00
CLAMP	1 Clamp set w/bolt	\$12.00



E-TRACK

PART #	DESCRIPTION	PRICE
FE-718-01	E-Track, per foot	\$10.00
65-SERIES-3'	Ratchet strap, 3'	\$46.00
65-SERIES-4'	Ratchet strap, 4'	\$50.00
65-SERIES-6'	Ratchet strap, 6'	\$52.00
65-SERIES-8'	Ratchet Strap, 8'	\$56.00
65-SERIES-12'	Ratchet strap, 12'	\$65.00
660001	D-ring	\$15.00

CYLINDER ACCESSORIES

CYLINDER VALVE PROTECTIVE CAPS MEETS NFPA 1901 STANDARDS

PART#	DESCRIPTION	PRICE
CC-1	Fits most Taylor-Wharton cylinders	\$31.00
CC-2	Fits most Norris cylinders	\$31.00
10 or More (you may combine 1's & 2's)		\$28.00



CYLINDER LABELS MEETS NFPA 1901 STANDARDS

PART #	DESCRIPTION	PRICE
CYL-LABEL4	4500 PSI	\$7.50
CYL-LABEL6	6000 PSI	\$7.50

Labels are yellow w/black lettering, 26" H x 3-3/8" W with 1-1/2" letters



FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

PRORACK™ 6 & 12 CYLINDER CRADLES

PRORACK™ cradle systems are field tested and are proven to be the most compact, lightweight and safest way of handling multiple cylinders for the high volume gas user. All standard cradles have two rigid casters and swivel casters for easy handling and movement.

Cylinders and plumbing not included.

Cradle options:

- Protective frame guard addition - protects manifold and hoses from damage, but allows user to access cylinder valves without any obstructions (add FG to end of Part#)
- Forklift channels instead of casters
- Locking casters

PART#	DESCRIPTION	PRICE EACH
CT-6C	6 Pk cradle	\$1,215.00
CT-6C-FG	6 Pk cradle w/protective frame	\$1,550.00
CT-12C	12 Pk cradle	\$1,750.00
CT-12C-FG	12 Pk cradle w/ protective frame	\$2,100.00



CT-6-C-FG



CT-6-C

SCBA CYLINDER RACKS

Mobile Bottle Carrier

Mobile Bottle Cart handles heavy SCBA cylinders with ease. Unload empty cylinders and reload apparatus in one easy task. Reduces chance of injury from carrying heavy loads across the floor.

Collapsible Bottle Carrier

Solves all of your bottle transport needs

Transport bottles:

From fire scene for refilling

At high rise fires - 8 per trip instead of 2

Storing spare bottles

Heavy duty reinforced steel construction with durable nylon coating

Holds 8 cylinders

30 minute, 45 minute or 60 minute

30L x 15W x 8H collapsed

PART#	DESCRIPTION	PRICE EACH
MBR-16	24L x 36D x 38H - Four shelf levels	\$1,335.00
MBR-24	24L x 36D x 59H - Six shelf levels	\$1,600.00
MBR-28	24L x 36D x 68H - Seven shelf levels	\$1,720.00
MBR-36	24L x 48D x 59H - Six shelf levels	\$1,950.00
MBR-42	24L x 48D x 68H - Seven shelf levels	\$2,100.00
BC-8	8 Cylinder collapsible carrier	\$215.00



MBR-16



BC-8

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

Portable Air Supply System

<u>Part#</u>	<u>Description</u>	<u>Price</u>
01-1000	Portable air supply system. Includes control box and 2 cylinder cart with collapsible handle	\$2,625.00
Dimensions	19W x 13D x 28H (collapsed handle) 19W x 13D x 41H (extended handle)	Weight = 28# w/o cylinders
01-1001	Portable air supply system. Control box only. (W/O cart)	\$1,775.00
Dimensions	14W x 6D x 10½H	Weight = 15#
01-1002	Portable air supply system. Same as above except with 2 separate regulators with 4 outlet manifold for each regulator. Control box only. (W/O cart)	\$2,250.00
Dimensions	21½W x 9D x 14½H	Weight = 26#

Features:


- High impact ABS plastic case
- Check valve and bleeder valve on each cylinder hose
- Hand tight stainless steel nut and nipple for cylinder connections
- Adjustable regulator rated up to 5500 psi inlet and 10-125 psi outlet
- 4 outlets, either Hansen or Schrader
- Relief valve on outlet of regulator
- Low pressure alarm whistles at appx. 500 psi
- Collapsible handle on portable cart

Includes:

- 2 each 2' hoses for cylinder connections on model with cart
- Low pressure (10-125 psi) regulator(s)
- 4 outlet aluminum anodized manifold
- Regulated pressure gauge
- Low pressure whistle alarm, 500 psi
- System bleed valve
- Auxiliary inlet connection, CGA-347 with leak-proof cap
- Cylinders can be changed individually without interruption of service

Cart features:

- Collapsible handle for easy storage
- 7" hard rubber tires
- 2 cylinder capacity can accommodate virtually any SCBA cylinder



WITH HANDLE
RETRACTED




FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

6000 PSI BREATHING AIR BOOSTER PUMP

This breathing air booster package answers multiple requirements for Fire Departments. It enables the full use of 6000 psi storage systems mounted on apparatus, maximizing the volume of air at the scene. It ensures full 4500 psi SCBA cylinder fills even when the air storage tanks drop as low as 1000 psi. This unit is air driven, no electricity needed,

Controls Included:

- Automatic stop control adjusted to any pre-selected pressure up to 6000 psi
- Manual start & stop
- Safety relief valve
- Inlet gauge
- Outlet gauge



Part # HPG3-27003

Price - Call for pricing

Specifications:

• Dimensions	30L x 13D x 17H
• Weight	64 pounds
• Displacement per cycle	6.2 cu. in.
• Maximum outlet pressure	9000 psi

Approximate fill time for a 45 cu. ft. (30 min.), 4500 psi SCBA cylinder

<u>System pressure after equalization</u>	<u>Appx. fill time</u>	<u>Appx. fill rate</u>
2500 psi	36 seconds	32 scfm
2300 psi	43 seconds	30 scfm
2000 psi	56 seconds	26 scfm
1500 psi	86 seconds	20 scfm
1000 psi	160 seconds	13 scfm

MOBILE SCBA CYLINDER FILL ENCLOSURES ALL MEET NFPA 1901 FOR APPARATUS

All control panels are optional



**Eagle
SideWinderX2
Mobile SafeStationX2
Mobile SafeStationX3
Not available in all states**



**SPACE SAVER
2 and 4 cylinder**



**Hypress
Single cylinder and
Two cylinder**

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

MISC. SCBA SUPPLIES

FACEPIECE BAGS


- Protect your facepieces from scratching and the elements and cut your facepiece repairs in half
- Made of heavyweight 1000 denier Cordura
- Large nylon loops for hanging
- 13½" W X 14" L, large enough for any major brand facepiece
- Red in color
- 3/4" wide velcro closure for staying power



**PRICE \$21.00 EACH
OR
10 OR MORE \$19.00 EACH**

#4 JIC (37° FLARE) FITTINGS

PART #	DESCRIPTION	PRICE EACH
A. 4-4-CTX-S	¼" MNPT X #4 JIC male, 90° elbow	\$5.00
B. 4-4-DTX-S	¼" FNPT X #4 JIC male, 90° elbow	\$7.00
C. 4-4-FTX-S	¼" MNPT X #4 JIC male, straight	\$3.00
D. 4-HTX-S	#4 JIC male X #4 JIC male, straight	\$3.25
E. 4-4-GTX-S	¼" FNPT X #4 JIC male, straight	\$3.50
F. 4-C6X-S	#4 JIC female swivel X #4 JIC male, 90° elbow	\$6.75
G. 4-4-F6X-S	¼" MNPT X #4 JIC swivel female, straight	\$9.00
H. 6506-4-4	¼" FNPT X #4 JIC swivel female, straight	\$9.50
I. 4-4-4-OTX-S	¼" FNPT X #4 JIC male X #4 JIC male, female branch tee	\$8.50
J. 4-4-VTX-S	¼" MNPT X #4 JIC male, 45° elbow	\$6.75
K. 4-WTX/WLN-S	#4 JIC male X #4 JIC male, bulkhead union	\$8.00




FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

CGA-346 FITTINGS

USED ON CYLINDERS UP TO 3000 PSI ONLY

PART #	DESCRIPTION	PRICE EACH
A. 14-2	CGA-346 nut, brass	\$5.00
B. 14-3	CGA-346 nipple, brass	\$6.00
C. 614-2P	Hand-tight nut, brass w/plastic handwheel (Use w/below nipple)	\$24.00
D. 614-5	Hand-tight nipple with replaceable soft tip, brass	\$12.00
614-KPT	Replacement tip for 614-5	\$9.25
E. 835	Hand -tight nut & nipple set, aluminum	\$33.50
835-6	Replacement O-rings for 835	\$1.15
F. 835-SS	Hand-tight nut & nipple set, stainless steel	\$53.00
6347-3-3	Replacement o-ring for 835-SS	\$3.00
G. B-1340	¼" male NPT x CGA-346 male adapter, brass	\$10.00
H. 1341-1	¼" female NPT x CGA-346 male adapter, brass	\$9.00
I. 346-DM	CGA-346 double male adapter, brass	\$25.00
J. T-346	CGA-346 tee, female x male x male, brass	\$47.00
K. 9346	CGA-346 leak-proof cap and chain assy., brass	\$15.00
L. 346-E	CGA-346 x #4 JIC male elbow	\$20.00
M. 346-S	CGA-346 x #4 JIC male straight	\$18.00
N. 346-T	CGA-346 x #4 JIC x #4 JIC male tee	\$24.00
O. 346-FT	CGA-346 x #4 JIC male x ¼" FNPT tee	\$30.00




FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

CGA-347 FITTINGS

CGA-347 USED ON CYLINDERS 3001 PSI THRU 5500 PSI

PART #	DESCRIPTION	PRICE EACH
A. 347-2	CGA-347 nut, brass	\$14.00
B. 347-3	CGA-347 nipple, brass	\$20.00
C. 835	Hand-tight nut & nipple set, aluminum (This set will connect to and fill either a 2216 psi or a 4500 psi cylinder)	\$33.50
708	Hand-tight nut & nipple set, aluminum (This set will fill only 4500 psi cylinders. If connected to a 2216 psi cylinder, it will bleed through a vent hole in the nut.)	\$80.00
835-6	Replacement O-rings for 835 or 708 nut & nipple sets	\$1.15
D. 835-SS	Hand-tight nut & nipple set, stainless steel	\$53.00
6347-3-3	Replacement o-ring for 835-SS	\$3.00
E. SCV-10457	1/4" male NPT x CGA-347 adapter, brass	\$19.50
F. 347-1	1/4" female NPT x CGA-347 adapter, brass	\$34.00
G. 347-DM	CGA-347 double male adapter, brass	\$52.00
H. T-347	CGA-347 tee, female x male x male, brass	\$60.00
I. 9347	CGA-347 leak-proof cap & chain assy., stainless steel	\$58.00
J. 347-E	CGA-347 x #4 JIC male elbow	\$43.00
K. 347-S	CGA-347 x #4 JIC male straight	\$41.00
L. 347-T	CGA-347 x #4 JIC male x #4 JIC tee	\$47.00
M. 347-FT	CGA-347 x #4 JIC male x 1/4" FNPT tee	\$50.00



FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

CGA-677 AND CGA-702 FITTINGS

CGA-702 USED ON MOST 6000 PSI CYLINDERS
CGA-677 USED ON OLDER 6000 PSI CYLINDERS

PART #	DESCRIPTION	PRICE EACH
A. 702-2	CGA-702 nut, brass	\$18.00
B. 680-4SF	CGA-702 X 1/4" MNPT nipple, brass	\$22.00
C. 702-E	CGA-702 X #4 JIC elbow	\$48.00
D. 702-S	CGA-702 X #4 JIC straight	\$46.00
E. 702-T	CGA-702 x #4 JIC X #4 JIC tee	\$53.00
F. 702-FT	CGA-702 x #4 JIC x 1/4" FNPT, tee	\$55.00
G. SS-60-2	CGA-677 nut, stainless steel (LH thread)	\$35.00
H. SS-60-3	CGA-677 nipple, stainless steel	\$40.00
I. B-677-SS	Adapter, CGA-677 male (LH thread) X 1/4" MNPT	\$51.00
J. CAP-67-SS-PR	CGA-677 dust cap, stainless steel (LH thread, not leak-proof)	\$45.00

A



B




C



D



E



F



G



H



I



J



FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

PIPE FITTINGS

STAINLESS STEEL, STEEL AND BRASS

PART #	DESCRIPTION		PRICE EACH
A. SS-4-HN	1/4" NPT hex nipple, MNPT x MNPT	Stainless Steel	\$14.00
1/4-FF-S		Steel	\$3.00
B-4HP		Brass	\$3.00
B. SS-4-HCG	1/4" NPT hex coupling, FNPT x FNPT	Stainless Steel	\$24.00
1/4-GG-S		Steel	\$3.50
BF-4HP		Brass	\$4.00
C. SS-4-E	1/4" NPT elbow, FNPT x FNPT	Stainless Steel	\$43.00
1/4-DD-S		Steel	\$7.00
BEL-4HP		Brass	\$26.00
D. SS-4-SE	1/4" NPT street elbow, FNPT x MNPT	Stainless Steel	\$53.00
1/4-CD-S		Steel	\$6.00
BL-4HP		Brass	\$15.00
E. SS-4-T	1/4" NPT tee, FNPT x FNPT x FNPT	Stainless Steel	\$59.00
1/4-MMO-S		Steel	\$8.00
BFT-4HP		Brass	\$20.00
F. SS-4-ST	1/4" NPT street tee, FNPT x FNPT x MNPT	Stainless Steel	\$61.00
1/4-MRO-S		Steel	\$8.50
BST-4HP		Brass	\$40.00
G. SS-4-BT	1/4" NPT branch tee, MNPT x FNPT x FNPT	Stainless Steel	\$57.00
1/4-MMS-S		Steel	\$8.00
BMT-4HP		Brass	\$34.00
H. SS-4-MT	1/4" NPT male tee, MNPT x MNPT x MNPT	Stainless Steel	\$49.00
*****		Steel	N/A
B-4-MT		Brass	\$21.00
I. SS-4-CS	1/4" NPT cross, FNPT x FNPT x FNPT x FNPT	Stainless Steel	\$80.00
1/4-KMMOO-S		Steel	\$15.00
BCR-4HP		Brass	\$41.00
J. SS-4-HLN-1.5	1/4" NPT hex long nipple, 1 1/2", MNPT x MNPT	Stainless Steel	\$13.00
*****		Steel	N/A
B-4-HLN-1.5		Brass	\$10.00
SS-4-HLN-2.00	1/4" NPT hex long nipple, 2", MNPT x MNPT	Stainless Steel	\$16.00
5404-L-4-2		Steel	\$11.00
B-4-HLN-2.00		Brass	\$12.00
SS-4-HLN-3.00	1/4" NPT hex long nipple, 3", MNPT x MNPT	Stainless Steel	\$28.00
5404-L-4-3		Steel	\$17.00
B-4-HLN-3.00		Brass	\$15.00
SS-4-HLN-4.00	1/4" NPT hex long nipple, 4", MNPT x MNPT	Stainless Steel	\$30.00
*****		Steel	N/A
B-4-HLN-4.00		Brass	\$16.00
K. SS-4-P	1/4" NPT plug, MNPT	Stainless Steel	\$9.00
1/4-HP-S		Steel	\$2.00
P-4HP		Brass	\$4.00
L. SS-4-CP	1/4" NPT cap, FNPT	Stainless Steel	\$16.00
5406-4		Steel	\$2.00
PC-4HP		Brass	\$8.00

IMPORTANT: Maximum pressure ratings on the above fittings are as follows:

STAINLESS STEEL = Male, 7,500 PSI; Female, 6,200 PSI

STEEL = 7,000 PSI minimum, Male and/or Female


BRASS = 3,000 PSI, Male and/or Female

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442


A




B



C



D



E



F



G



H



I



J



K



L



FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

HIGH PRESSURE QUICK DISCONNECTS

UP TO 6000 PSI MINIMUM

PART #	DESCRIPTION	PRICE EACH
A. S25-2P	6000 psi quick disconnect coupling	\$31.00
S44-2	Rubber plug w/chain for S25-2P	\$7.50
B. S21-2P	6000 psi quick disconnect male tip	\$15.00
S49-2	Rubber cap w/chain for S21-2P	\$7.50
C. 30-50-2	Pioneer 3000 series quick disconnect coupling X ¼" MNPT	\$51.00
D. 30005-2	Dust plug for 30-50-2 coupling (not leak-proof)	\$11.00
E. 30-10-2	Pioneer 3000 series quick disconnect male tip X ¼" FNPT	\$32.00
F. 30009-2	Dust cap for 30-10-2 male tip (not leak-proof)	\$16.00

A



B



C



D



E



F



LOW PRESSURE QUICK DISCONNECTS

PART #	DESCRIPTION	PRICE EACH
A. HAN-C	Hansen coupling x ¼" MNPT	\$37.00
B. HAN-P	Hansen male tip x ¼" MNPT	\$4.00
HAN-KIT	Includes 1 each HAN-C and 1 each HAN-P	\$41.00
C. SCH-C	Schrader coupling x ¼" MNPT	\$26.00
D. SCH-P	Schrader Male tip x ¼" MNPT	\$4.00
SCH-KIT	Includes 1 each SCH-C and 1 each SCH-P	\$29.00

A



B



C




D



FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442


SCUBA, DIN AND PAINTBALL FITTINGS

PART #	DESCRIPTION	PRICE EACH
A. 9-3030-1	SCUBA male X 1/4" FNPT	\$51.00
B. 92-006	SCUBA x CGA-346 fill adapter	\$80.00
C. SW-SA4302D	DIN filler w/bleeder x 1/4" FNPT	\$75.00
D. SP-1-M	Paintball quick disconnect tip x 1/8" MNPT	\$4.00
E. ST-1-M	Paintball quick disconnect coupling x 1/8" MNPT	\$14.00



MISC. COMPONENTS

PART #	DESCRIPTION	PRICE EACH
A. BARSW-1	Compressor pressure switch, 3650 - 7500 psi, 110 VAC	\$256.00
B. 1018	Sequence valve	\$243.00
C. 211	Priority valve, 6000 psi inlet, adjustable outlet	\$90.00
211-12	Rebuild kit for 211 priority valve (not shown)	\$27.00
D. 443	Air flow fuse	\$38.00
E. REG-COVER	Stainless steel, lockable cover for 415A style high pressure regulator	\$95.00
F. LPW-1	Low pressure whistle alarm, alarms at appx 500 psi	\$300.00



FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

GAUGES, VALVES, CHECK VALVES

PART #	DESCRIPTION	PRICE EACH
A. 94-001-SS	Gauge, 0-7500 psi, 2½", panel mount, liquid filled, stainless steel	\$65.00
94-004-SS	Gauge, 0-600 psi, 2½", panel mount, liquid filled, stainless steel	\$55.00
94-007-SS	Gauge, 0-200 psi, 2½", panel mount, liquid filled, stainless steel	\$55.00
94-008-SS	Gauge, 0-1500 psi, 2½", panel mount, liquid filled, stainless steel	\$55.00
B. 94-002-SS	Gauge, 0-7500 PSI, 2½", panel mount, liquid filled, stainless steel with colored pies at 2216 psi & 4500 psi	\$65.00
C. 94-003-SS	Gauge, 0-7500 psi, 2½", stem mount, liquid filled, stainless steel	\$65.00
D. 94-005	Gauge, 0-6000 psi, 2½", stem mount, dry	\$33.00
94-006	Gauge, 0-600 psi, 2½", stem mount, dry	\$26.00
G-2-4000	Gauge, 0-4000 psi, 2", stem mount, dry	\$32.00
E. RCP	Cover, rubber, for 2½" stem mount gauges	\$13.00
**NOTE: All panel mount gauges listed above have ¼" male NPT threads out the center of the back of the gauge. All stem mount gauges have ¼" male NPT threads out the bottom of the gauge.		
F. YVA3010	Line valve, 6000 PSI, ¼" MNPT x FNPT	\$40.00
G. YVA3010A	Valve, panel mount, 6000 psi, ¼" MNPT x FNPT	\$56.00
SCBAS-18	Rebuild kit for YVA series valves	\$19.00
H. LV-3	Line valve with bleeder, 6000 psi, ¼" FNPT x FNPT	\$60.00
161018	Bleeder knob replacement kit for LV-3 (not shown)	\$9.00
I. 955	Check valve, 6000 psi, reversible, ¼" MNPT x ¼" FNPT, aluminum	\$47.00
955-8	Repair kit for 955 check valve	\$5.00
J. CVF-4MSS	Check valve, 6000 psi, ¼" FNPT inlet x ¼" MNPT outlet, stainless steel	\$107.00
CVM-4FSS	Check valve, 6000 psi, ¼" MNPT inlet x ¼" FNPT outlet, stainless steel	\$120.00

A



B



C



D



E



F



G



H



I



J



FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

REGULATORS, BLEEDERS, RELIEF VALVES

PART #	DESCRIPTION	PRICE EACH
A. 415A-6000	Regulator only, 0-6000 psi inlet, 50- 6000 psi outlet	\$300.00
415A-5000	Regulator only, 0-6000 psi inlet, 50- 5000 psi outlet	\$285.00
415A-1500	Regulator only, 0-6000 psi inlet, 50-1500 psi outlet	\$285.00
415A-400	Regulator only, 0-6000 psi inlet, 50-400 psi outlet	\$285.00
839	Rebuild kit for 415A series regulator, specify pressure (not shown)	\$67.00
B. 657	Panel mounting bracket for 415A series regulator	\$32.00
C. 1247-120	In-line regulator, 0-6000 psi inlet, 40-120 psi outlet	\$105.00
1247-300	In-line regulator, 0-6000 psi inlet, 100-300 psi outlet	\$105.00
D. 873-400	High flow, low pressure outlet regulator, 0-6000 psi inlet, 0-400 psi outlet ¼" FNPT inlet x ½" FNPT outlet. Other outlet ranges available	\$600.00
E. 712	Bleeder valve, ¼" MNPT x ¼" FNPT, 6000 psi, aluminum	\$32.00
F. 1004	Bleeder valve, ¼" MNPT, 6000 psi, aluminum	\$25.00
712RS	Knob retaining strap, rubber, for 712 or 1004 bleeder valves (not shown)	\$3.50
G. SA-4306	Bleeder valve, ¼" FNPT x ¼" FNPT, chrome plated brass	\$40.00
H. SNOOP	SNOOP leak detector, no odor, no taste, noncorrosive, nontoxic, 8 oz.	\$11.00
I. THR-PROT	Thread protector, fits CGA-346 and/or CGA-347 valves, w/retaining cord, orange	\$4.15
J. 1401-HC	Rubber handwheel cover for cascade cylinder valves	Discontinued
K. 504-H	Relief valve, adjustable, 300-6500 psi, ¼" MNPT, aluminum	\$80.00
L. B-4CPA2-50	Relief valve, adjustable 50-150 psi, ¼" MNPT	\$57.00
B-4CPA2-150	Relief valve, adjustable 150-350 psi, ¼" MNPT	\$57.00
P-4CP4-K12-GR	Deflector cap for (K) relief valve (Pictured on relief valve)	\$8.00
M. RV-5500	ASME relief valve, 5500 psi, not adjustable	\$540.00
RV-6500	ASME relief valve, 6500 psi, not adjustable	\$655.00




FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

MISC. FITTINGS AND ADAPTERS FROM 1/8" UP TO 1/2"



STORAGE CYLINDER VALVES AND PARTS MANY DIFFERENT CGA CONNECTIONS




YVA VALVE PARTS

Rebuild kit for YVA series valves


Part # SCBAS-18

Includes the following parts:

- 1 ea. 3506-7 Packing
- 1 ea. 3506-18 Packing
- 1 ea. 3506-10 Gasket
- 1 ea. 3506-9 Lower plug



9-3011A
Panel Mount
Nut
(2 req)



PART #	DESCRIPTION	PRICE EACH
SCBAS-18	Rebuild kit	\$19.00
1-3506-14	Bonnet	\$5.00
3506-7	Packing	\$4.00
3506-18	Packing	\$2.50
9-3506-12	Stem	\$11.50
3506-10	Gasket	\$5.50
3506-9	Lower Plug	\$4.00
1389-4	Handwheel cap	\$2.50
1-3506-8	Stem nut	\$8.00
19-3506-11	Spring	\$6.00
1389-2D	Handwheel	\$6.50
9-3011A	Panel mount nut	\$8.00

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442

CYLINDER REFILL CHART



WASHINGTON, IL

STORAGE CYLINDERS		TYPE OF CYLINDER BEING FILLED (ESTIMATED # OF FILLS FROM EMPTY TO CAPACITY)					FILL METHOD
		SCBA CYLINDERS			SCUBA CYLINDERS		
# OF CYL	SYSTEM VOL. @ CAPACITY	2216 PSI 45 CF	4500 PSI 45 CF 30 MIN	4500 PSI 88 CF 1 HR	2250 PSI 72 CF	3000 PSI 80 CF	BULK = ALL CYL OPEN AT THE SAME TIME CASCADE = GO FROM CYL #1, THEN 2, THEN 3, ETC.
4500 PSI, DOT CYLINDERS							
2	888	11 14	-	-	7 8	4 4	BULK CASCADE
3	1332	16 23	-	-	10 14	6 7	BULK CASCADE
4	1776	21 32	-	-	13 19	8 10	BULK CASCADE
6	2664	31 51	-	-	19 30	12 16	BULK CASCADE
8	3552	41 70	-	-	25 41	15 22	BULK CASCADE
6000 PSI, DOT CYLINDERS							
2	1018	15 18	6 8	3 4	9 12	7 10	BULK CASCADE
3	1527	23 30	9 15	4 7	14 19	10 17	BULK CASCADE
4	2036	30 42	12 22	6 10	19 27	13 23	BULK CASCADE
6	3054	45 67	18 36	9 16	28 42	20 37	BULK CASCADE
8	4072	60 91	24 50	12 22	37 57	27 50	BULK CASCADE
6000 PSI, ASME CYLINDERS							
2	1050	15 19	6 9	3 4	10 13	7 9	BULK CASCADE
3	1575	24 31	10 16	4 7	16 20	10 16	BULK CASCADE
4	2100	33 44	13 24	7 11	21 28	14 22	BULK CASCADE
6	3150	48 70	20 43	11 19	33 47	22 35	BULK CASCADE
8	4200	65 95	30 59	15 26	46 69	32 49	BULK CASCADE

OTHER SERVICES AND PARTS AVAILABLE FROM SCBAS, INC.

SURVIVAIR® FACTORY AUTHORIZED WARRANTY AND SERVICE CENTER.

SCBAS, Inc. has been a SURVIVAIR/Honeywell WARRANTY SERVICE CENTER for over 25 years. We have FACTORY TRAINED TECHNICIANS servicing these SCBA'S on a full time basis. We have one of the largest inventories of SURVIVAIR/Honeywell parts in the country, so when you need parts, give us a call. We also welcome any repairs and/or overhauls . We service the full line of SURVIVAIR/Honeywell including SURVIVAIR/Honeywell Warriors, Panthers, SIGMA's, MARK 2's, HIP-PAC's, SAR's, etc.

CYLINDER VALVE PARTS

We carry a large inventory of Survivair, Scott and MSA valve parts for SCBA cylinder valves. We also carry complete valves and valve parts for Sherwood cascade cylinder valves (TV & GV series) YVA series line and panel mount valve parts are also in stock

COMPRESSOR PARTS

We have parts available for the following breathing air compressors.
Eagle Compressors, Hamworthy USA, Allied Air, Fluid Concepts, Bauer, Ingersol Rand and Mako

PURIFICATION CARTRIDGES, COMPLETE SYSTEMS

We can also supply you with purification cartridges for virtually any make or model of purification system. We carry only the best cartridges from the leading manufacturer of air purifying systems in the world, Lawrence Factor, Inc.. We can supply anything from 1 cartridge to complete replacement or add-on purification systems for any size of compressor.

OUR GOAL

OUR GOAL HERE AT SCBAS, INC. IS TO KEEP YOU, THE CUSTOMER, HAPPY AND INFORMED. MOST ORDERS PLACED WITH US ARE SHIPPED WITHIN 24 HOURS AFTER RECEIPT. WE SPECIALIZE IN CUSTOM SYSTEMS. IF YOU NEED ASSISTANCE DESIGNING ONE, GIVE US A CALL, ONE OF OUR TECHNICIANS WILL BE HAPPY TO ASSIST YOU.

REMEMBER, IF IT HAS TO DO WITH BREATHING AIR, GIVE US A CALL. THAT'S OUR BUSINESS!

SCBAS, INC. - HELPING YOU BREATHE A LITTLE EASIER

*****ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE*****

FAX YOUR ORDER TO 309/444-3180 OR PHONE 800/747-7442